

o/c

JKLC/DURG//ENV/CECB/HO/BMW/14

23.05.2024

To,
Member Secretary
Chhattisgarh Environment Conservation Board,
Paryawas Bhavan, North Block Sector-19,
Atal Nagar, Raipur (C.G.) 492002

Subject: Submission of Annual Return of Bio-Medical Waste (Form IV) for the period of January 2023 to December 2023.

Dear Sir,

We are submitting herewith the annual return of Bio-Medical Waste in prescribed form IV under the rule of Bio-Medical Waste management Rules, 2016 for our Integrated Cement Plant situated at villages – Malpuri Khurd, Khasadih PO. Ahiwara, Tehsil Dhamdha, Dist. Durg for the calendar year **January 2023 to December 2023.**

This is for your kind information and record Please

Thanking you

Yours Faithfully

For, **JK Lakshmi Cement Ltd.,**



Mukul Srivastava
Sr. Vice President-(Works)

Encl. As above



**CC: Regional Officer, Chhattisgarh Environment Conservation Board 5/32 Bunglow
Bhilai Dist. Durg(C.G.)**

Admn. Office : Nehru House, 4, Bahadur Shah Zafar Marg, New Delhi-110 002 Phone: 66001142 / 66001112 Fax: +91-11-23722251, 23722021

E-mail: jklc.customercare@jkmail.com; Website : www.jklakshmicement.com, CIN : L74999RJ1938PLC019511

Regd. & Works office : Jaykaypuram, Distt. - Sirohi, Rajasthan, Phone : 02971 - 244409/244410; Fax: 02971 - 244417; E-mail: lakshmi_cement@lc.jkmail.com

Local Address : Village - Malpuri Khurd, Khasadih, P.O. : Ahiwara, Teh.: Ahiwara, Distt. : Durg - 490 036 (C.G.), Tele. : 8966902222, 8966903333

E-mail: jklakshmi@durg.jkmail.com



Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from **January to December** of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sr.No	Particulars		
1.	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or operator of facility)	:	Mr. Mukul Srivastava
	(ii) Name of HCF or CBMWTF	:	JK LAKSHMI CEMENT LTD.
	(iii) Address for Correspondence	:	Village Malpuri Khurd, Po Ahiwara, Tehsil Dhamdha, Dist- Durg, (C.G) 490036
	(iv) Address of Facility	:	Village Malpuri Khurd, Po Ahiwara, Tehsil Dhamdha, Dist- Durg, (C.G) 490036
	(v) Tel. No, Fax. No :	:	-
	(vi) E-mail ID	:	envdurg@durg.jkmail.com
	(vii) URL of Website	:	www.jklakshmi.com
	(viii) GPS coordinates of HCF or CBMWTF	:	N 21° 16' 05" – 21° 30' 47" latitude E 81° 17' 35" – 81° 33' 26" longitude
	(ix) Ownership of HCF or CBMWTF	:	(state Government or private or semi Gov. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: Durg/Dec/98/16 Date 24/12/2016 Letter No.: 5266/BMW/HO/CECB/RAIPUR 2016 Dated 26.12.2016 Valid up to One Time
(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 30/04/2025	
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of beds – 02 for observation
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Non bedded hospital (Occupational Health Centre)
	(iii) License number and its date of expiry	:	NA
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No of beds covered by CBMWTF	:	-
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day

4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category:	19.977 Kg		
			Red Category:	14.791 Kg		
			White:	5.0 Kg		
			Blue Category:	12.959 Kg		
			General Solid waste:	NA		
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility :					
	(i) Details of the on-site storage facility	:	Size : Contains with colour code			
		:	Capacity : 30 Litres			
		:	Provision of on-site storage : (cold storage or any other provision)			
ii	Disposal facilities		Type of treatment equipment	No of units	Capacity Kg/day	THROUGH SMS WATER GRACE ENVIRO PROJECT PVT.LTD
			Incinerators			
			Plasma Pyrolysis			
			Autoclaves			
			Microwave			
			Hydroclave			
			Shredder			
			Needle tip cutter or destroyer			
			Sharps encapsulation or concrete pit			
			Deep burial pits:			
			Chemical disinfection:			
Any other treatment equipment:						
(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)			
(iv)	No of vehicles used for collection and transportation of biomedical waste	:	NA			
(v)	Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	Quantity Generated			Where Disposed
vi)	Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	SMS WATER GRACE ENVIRO PROJECT PVT.LTD, KHASARA NO. 70/1,70/2,70/5 PHASE NO. 20, SILTARA INDUSTRIAL AREA , RNM DHARSIWA ,SILTARA ,RAIPUR (C.G.)493111			
(vii)	List of member HCF not handed over bio-medical waste.	:	NA			
6.	Do you have bio-medical waste Management committee? If yes, attach minutes of the meetings held during the reporting period	:	NO			


7.	Details trainings conducted on BMW		
(i)	Number of trainings conducted on BMW Management	:	Time to time provided
(ii)	number of personnel trained	:	YES
(iii)	number of personnel trained at the time of induction		4
(iv)	number of personnel not undergone any training so far	:	NA
(v)	Whether standard manual for training is available?	:	NA
(vi)	Any other information)	:	
8.	Details of the accident occurred during the year	:	NA
(i)	Number of Accidents occurred	:	NA
(ii)	Number of the persons affected	:	NA
(iii)	Remedial Action taken (Please attach details if any)	:	NA
(iv)	Any Fatality occurred, details.	:	
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	NA
	Details of Continuous online emission monitoring systems installed	:	NA
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	NA
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	NA
12.	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from January 2023 to December 2023

John Kumar

Date: 23/05/2024

Place: Malpuri Khurd Ahiwara



Name and Signature
of the Head of the Institution